



## Union Ink<sup>™</sup> Unimix Color Card

Union Ink<sup>™</sup> UPLC Unimix is a flexible cure mixing system that offers highly opaque, intense colors for your unique screen printing projects. With 15 intermixable colors, UPLC Unimix produces accurate color matches for both small and large printing runs.

## **FEATURES**

- Flexible cure temperatures Cure from 270°F-320°F (132°C-160°C)
- Color consistency Avoid color variance when printing at different cure temperatures
- Wet-on-wet printing capabilities Print weton-wet on light-colored fabrics or using a white under base
- Easy printing Simplify your screen printing process with straight-forward mixing instructions and no bases or additives needed
- IMS3.0 compatibility Manage UPLC Unimix colors with IMS3.0, a proprietary color formulation software from Avient Specialty Inks for color retrieval, inventory management, and custom color mixing

## **GLOBAL COMPLIANCE**

Union Ink<sup>™</sup> is certified to **ZDHC Conformance** Level 3 with ECO PASSPORT by OEKO-TEX. To learn more about compliance standards, please contact your Avient Specialty Inks distributor.\*

> Union Ink ECO PASSPORT certification number: Union 2.10 - 22.0.01715



DO C

215

## Union Ink™ Unimix Color Card

401



ivd

USI DELE

Copyright © 2023, Avient Corporation. Avient makes no representations, guarantees, or warranties of any kind with respect to the information contained in this document about its accuracy, suitability for particular applications, or the results obtained or obtainable using the information. Some of the information arises from laboratory work with small-scale equipment which may not provide a reliable indication of performance or properties obtained or obtainable on larger-scale equipment. Values reported as "typical" or stated without a range do not state minimum or maximum properties; consult your sales representative for property ranges and min/max specifications. Processing conditions can cause material properties to shift from the values stated in the information. Avient makes no warranties or guarantees respecting suitability of either Avient's products or the information for your process or end-use application. You have the responsibility to conduct full-scale end-product performance testing to determine suitability in your application, and you assume all risk and liability arising from your use of the information and/or use or handling of any product. AVIENT MAKES NO WARRANTIES, EXPRESS OR MAPATILED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, either with respect to the information or products reflected by the information. This literature shall NOT operate as permission, recommendation, or inducement to practice any patented invention without permission of the patent owner.